

The Gazette



of India

EXTRAORDINARY
PART II—Section 3—Sub-section (ii)
PUBLISHED BY AUTHORITY

No. 156] NEW DELHI, SATURDAY, JULY 30, 1960/SRAVANA 8, 1882

MINISTRY OF STEEL, MINES AND FUEL

(Department of Iron & Steel)

NOTIFICATION

New Delhi, the 30th July 1960

S.O.1899.—E. S. S. COMM/Iron & Steel-15 (1)/AM (8).—The following Notification issued by the Iron and Steel Controller under proviso to Clause 15 (1) of the Iron and Steel (Control) Order, 1956 is published for general information.

“NOTIFICATION

In exercise of the powers conferred by proviso to Sub-clause (1) of Clause 15 of the Iron and Steel (Control) Order, 1956 as amended by Notification No. S. O. 2369. ESS. COMM/Iron & Steel/AM (3) dated 13-11-58 published in Part II, Section 3, Sub-section (ii) of the Extraordinary Gazette of India dated 13-11-58 and with the approval of Union Government, Iron & Steel Controller hereby notifies the following revised special concessional maximum selling prices for Tinplates to be supplied by the Tinplate Co. of India Ltd., and by the Controlled Stockholders of Tinplates to the manufacturers of Engineering Goods for fabricating Iron & Steel products for Export purposes only in amendment to Schedule No. III to Ministry's Notification under S. O. 2672-ESS.COMM/Iron & Steel-15(1)/AM(4) of 1st December, 1959, published in Part II, Section, 3 of the Gazette of India dated 5-12-59.

SCHEDULE III

Schedule of Concessional Prices

TINPLATES

Sl. No.	Size	Sheet-age	Weight in lbs.	B'Ham Gauge	Selling prices per BOX f.o.r. Tinplate Co.'s Works	
					Siding	Golmuri, Tatanagar
1	2	3	4	5	6	
			Lbs.		Rs. nP.	
1	28×20	28	171	20	75.54	
2	33×14	50	217	21.2	98.00	
3	34×25	25	185	22	83.47	

1	2	3	4	5	6
			Lbs.		Rs. nP.
4	28 20	50	250	22	112 78
5	26 1/2 13 1/4	50	152	22	95 57
6	20 14	100	250	22	112 78
7	35 25	25	150	24	9 75
8	34 25	25	146	24	67 89
9	28 20	50	200	24	12 99
10	25 17	50	146	24	67 89
11	20 14	100	200	24	92 99
12	28 20	56	196	25	95 95
13	20 14	112	196	25	95 95
14	28 20	56	168	26	83 29
15	24 14	112	202	26	100 15
16	20 14	112	168	26	83 29
17	34 35	56	255	26	126 43
18	26 1/2 2 1/2 16 1/2	56	131	26	64 95
19	31 23	56	193 5	27	97 83
20	28 20	56	154	27	77 87
21	22 1/2 14	112	170	27	85 96
22	20 1/2 14	112	154	27	77 87
23	14 1/2 11	112	85	27	42 98
24	13 1/2 10 3/4	112	80	27	40 45
25	20 1/2 18 1/4	56	150	27	75 85
26	30 20	52	136	28	60 55
27	28 20	56	140	28	71 60
28	26 3/4 18 3/4	112	245	28	125 30
29	26 3/4 18 3/4	64	140	28	71 60
30	20 1/2 14 3/4	12	148	28	75 69
31	20 1/2 14	112	140	28	71 60
32	20 10	157	136	28	69 55
33	18 3/4 14	124	140	28	71 60
34	18 3/4 12	144	140	28	71 60
35	28 1/2 18 3/4	112	267	28	136 55
36	33 1/2 25	56	160	30	77 61
37	32 3/4 22 7/8	56	141	30	78 85
38	31 3/4 21 1/4	56	130	30	71 18
39	31 1/4 18 1/3 16	112	227	30	124 30
40	30 1/2 16 2/3 23 1/3 16	112	275	30	150 59
41	30 21	112	242	30	132 51
42	30 20	112	231	30	126 49
43	29 1/8 20 15 16	112	235	30	128 68
44	28 1/2 23 1/2 12	112	269	30	147 30
45	28 20	112	216	30	118 28
46	28 18 3/4	112	199	30	108 97
47	27 3/4 22 3/4 16	112	242	30	132 51
48	26 3/4 18 3/4	112	193	30	105 69

1	2	3	4	5	6
			Lbs.		Rs. nP.
49	24 × 20-15'16	112	194	30	106.23
50	20'1/4 × 10'1/4	336	242	30	132.51
51	20'1/4 × 10'1/4	225	162	30	88.71
52	20 × 14	112	108	30	59.14
53	20 × 10	336	233	30	127.59
54	20 × 10	225	156	30	85.42
55	18'3/4 × 14	224	199	30	108.97
56	18'3/4 × 14	172	151	30	83.78
57	18'3/4 × 12'1/2	224	178	30	97.47
58	18'5/8 × 14'1/4	224	201	30	110.07
59	18'5/8 × 14'1/4	124	111	30	60.78
60	18'3/4 × 12	144	110	30	60.23
61	32'3/8 × 22	112	275	30	150.59
62	31'3/8 20-15'16	112	253	30	138.54
63	30'7/8 × 30-15'16	112	249	30	136.35
64	28'1/4 × 14'1/8	112	152	30	83.23
65	28'1/8 × 18'3/4	112	200	30	109.51
66	24'1/2 18'3/4	112	175	30	95.83
67	31'3/8 × 24'3/4	56	150	30	82.14
68	31'7/8 × 22	112	267	30	146.21
69	28'3/8 × 17'3/4	112	190	30	104.04
70	20-11'16 × 10'3/8	225	167	30	91.45
71	28'3/8 × 18'3/4	112	201	30	110.07
72	30'3/8 × 20	112	236	30	129.23
73	27'5/8 × 22-3'16	112	241	30	131.97
74	32'1/2 × 27-9'16	56	160	30.6	89.54
75	32'1/2 × 21	112	244	30.6	136.55
76	32 24	112	374	30.6	153.33
77	31 × 21	112	232	30.6	129.84
78	30'1/2 × 24'1/2	112	267	30.6	149.42
79	30 20	112	214	30.6	119.76
80	30 × 18'3/4	112	267	30.6	149.42
81	29'5/8 × 17'3/4	112	188	30.6	105.21
82	29'1/4 —11'16	112	258	30.6	144.38
83	20 × 21'1/2	112	223	30.6	124.79
84	28-11'16 22-3'16	112	227	30.6	127.03
85	28'1/2 × 21'1/2	112	219	30.6	122.56
86	28 × 20	112	200	30.6	111.92
87	27'3/4 23-7'16	112	232	30.6	129.84
88	27'5/8 × 24'1/2	112	242	30.6	135.43
89	27-1'16 × 22'1/8	112	214	30.6	119.76
90	27 × 14'3/4	112	142	30.6	79.47
91	25-7'16 × 24-5'16	112	220	30.6	123.12
92	25-7'16 × 22'1/8	112	201	30.6	112.49
93	21 × 14'3/4	112	111	30.6	62.11
94	20 × 14	112	100	30.6	55.97

1	2	3	4	5	6
			Lbs.		Rs. nP.
95	31 × 22	112	243	30·6	135·98
96	27·1/4 × 22·1/8	112	215	30·6	120·32
97	29·1/4 × 22	112	230	30·6	128·71
98	30 × 18·3/4	112	201	30·6	112·49
99	29·1/2 × 18	112	190	30·6	106·33
100	28·7/8 × 24·1/2	112	248	30·6	138·79
101	32·1/2 × 27·1/4	56	158	30·6	88·42
102	29·1/8 × 25—7/16	112	265	30·6	148·30
103	28·3/8 × 21·1/4	112	207	31	117·60
104	28 × 21	112	202	31	114·76
105	31 × 23	112	228	31·6	132·79
106	31 × 22	112	219	31·6	127·54
107	30·1/4 × 25·1/4	112	246	31·6	143·27
108	30 × 21	112	203	31·6	118·22
109	30 × 20	112	193	31·6	112·41
110	28·7/8 × 25·3/4	112	240	31·6	139·78
111	28·1/4 × 18·1/2	112	171	31·6	99·59
112	28·1/4 × 20·5/8	112	189	31·6	110·08
113	28·3/8 × 17·3/8	112	158	31·6	92·02
114	28·1/8 × 18·1/2	112	167	31·6	97·26
115	28 × 24—15/16	112	219	31·6	127·54
116	28 × 20	112	180	31·6	104·83
117	28 × 18·3/4	124	186	31·6	108·33
118	27 × 5/16 × 22·1/8	112	194	31·6	112·99
119	27·1/4 × 19·1/4	112	169	31·6	98·42
120	27 × 21·5/8	112	188	31·6	109·49
121	25 × 17·7/8	112	144	31·6	83·86
122	24·1/2 × 18·3/4	112	148	31·6	86·19
123	20 × 14	112	90	31·6	52·41
124	18·3/4 × 14	112	93	31·6	54·16
125	30·3/4 × 23·7/8	112	232	31·6	135·12
126	25·7/8 × 18·7/8	112	157	31·6	91·43
127	20 × 10	225	129	31·6	75·13
128	31·3/4 × 19·9/16	112	200	31·6	116·47
129	28·3/8 × 21·5/8	112	197	31·6	114·74
130	29·7/8 × 24·7/8	112	212	32·5	129·33
131	29 × 18·5/8	112	154	32·5	93·96
132	28·3/4 × 20·3/4	112	170	32·5	103·72
133	27·5/16 × 18·5/8	112	146	32·5	89·08
134	20 × 14	112	80	32·5	48·81
135	27·5/16 × 23·5/8	112	184	32·5	112·25
136	28 × 20	112	160	32·5	97·61
137	28·3/8 × 21·3/16	112	150	34	99·68
138	28 × 20	112	140	34	93·04
139	25·1/4 × 22	112	139	34	92·37
140	20 × 14	112	70	34	46·52
141	27·3/4 × 18·1/2	112	128	34	85·06
142	25·1/2 × 21	112	134	34	89·04
143	25·1/2 × 18·1/2	112	118	34	78·41

1	2	3	4	5	6
			Lbs.		Rs. nP.
BEST COKE TINPLATES					
144	28·3/8×21·3/16	112	150	34	107·01
145	28×20	112	180	31·6	111·66
146	34×25	56	255	26	131·61
CHARCOAL NO. II TINPLATES					
147	28×20	112	216	30	135·92
148	28×20	56	140	28	80·42
149	28×20	56	154	27	86·69
DEEP STAMPING QUALITY-TINPLATES					
150	28×20	28	171	20	75·97
151	28×20	50	250	22	113·40
152	28×20	50	200	24	93·49
153	28×20	56	168	26	83·71
154	30×20	52	136	28	69·89
155	28×20	56	140	28	71·95
156	28×18·3/4	112	199	30	109·66
157	30×20	112	231	30	127·28
158	28·11/16×22·3/16	112	227	30·6	127·87
159	28·3/8×21·1/4	112	207	31	118·39
160	30×20	112	193	31·6	113·20
161	28·1/4×18·1/2	112	171	31·6	100·28

The above quoted prices for Tin Plates are subject to conditions of sales by M/s. Tinplate Co. of India Ltd., Cal. as given under Schedule I of the Notification under S.O. 2249-ESS.COMM/I&S-15(1) & 27(1) published in Part I Sec. 3(ii) of the Gazette of India dated 1-11-58. The Controlled Stockists shall sell at the above quoted prices plus their remuneration at Rs. 40 per long ton plus freight incurred subject to other conditions of sale as mentioned in the above quoted Notification.

These prices for Tinplate will come into effect from the date on which they are published in the Gazette of India and notwithstanding the rates at which order has been booked or the materials paid for, shall apply to all deliveries effected on that date.

All indents for supply of Tinplate from M/s. Tinplate Co. of India Ltd., Cal. to which the above concessional prices will be applicable shall be placed through Iron and Steel Controller, Calcutta, and shall be franked "Export Promotion" under a seal of that organisation and signed by an officer not below the rank of Dy. Iron & Steel Controller. Indents for supply of Tinplate at the concessional prices from the specified Controlled Stockists shall be placed on the Controlled Stockists direct on the authority of the Quota Certificates issued by Dy. Chief Controller (Export Promotion) at Madras, Bombay and Calcutta and the Dy. Director of Export Promotion, Ministry of Commerce and Industry, New Delhi and by the Iron & Steel Controller, Calcutta. Indents from the Controlled Stockholders for re-imbursement of stocks should be duly supported by the Quota Certificates cashed by them and for which re-imbursement is sought.

A. S. BAM, I.C.S.,
Iron and Steel Controller."

[No. SC(A)-2(296)/58/Vol. II.]

J. S. BAIJAL, Under Secy.

